


# V-SERIES™ Standard & Leading-Edge SRLs




V-TEC® Standard SRL

V-EDGE® Leading-Edge SRL

WE KNOW WHAT'S AT STAKE.

## V-TEC® Standard SRLs

With premium components and innovative engineering, the V-TEC Standard SRL offers controlled cable retraction—preventing excessive lifeline retraction speed and protecting internal parts from damage.




### Easy Inspection

Clear outer housing.



### Easy Transportation

Carry handle included.



### Assured Safety

Spiral radial energy-absorbing technology requires zero calibration or adjustment.



### Downtime Minimized

Completely field-serviceable, the cable, energy-absorber, and retraction dampener can all be replaced on site.



### Versatile

Galvanized or stainless steel cable.




### Durable

Retraction dampening features control the cable speed to 3 m/s (<10 ft./s).





### Built to Last

Stainless steel/engineered plastics.



# V-EDGE® Leading-Edge SRLs

Specifically engineered and tested for use at foot-level tie off, the V-EDGE SRL meets EN 360: 2002 & VG11 sheet 60 Leading-Edge requirements.



## Simplify Selection

Use in a variety of applications, from overhead to horizontal tie off points, and where exposed edges are a concern.



## Get to Work Faster

Clear outer casing allows for quick visual inspection of internal components




## Lower Cost of Ownership

Integrated roll cage protects housing when used in foot-level tie off. Retraction dampening feature controls the life line speed—preventing unwanted damage and maximizing product life.



## Reduce Downtime

Internal components like the cable and energy absorber can be replaced on site—reducing repair times.



## V-TEC Standard SRLs

Part Number	Description
63206-00AEU	V-TEC Standard Cable SRL, 6 m (20 ft.), galvanized cable
63306-00AEU	V-TEC Standard Cable SRL, 6 m (20 ft.), stainless steel cable
63210-00AEU	V-TEC Standard Cable SRL, 10 m (30 ft.), galvanized cable
63310-00AEU	V-TEC Standard Cable SRL, 10 m (30 ft.), stainless steel cable
63215-00AEU	V-TEC Standard Cable SRL, 15 m (50 ft.), galvanized cable
63315-00AEU	V-TEC Standard Cable SRL, 15 m (50 ft.), stainless steel cable
63230-00AEU	V-TEC Standard Cable SRL, 30 m (100 ft.), galvanized cable
63330-00AEU	V-TEC Standard Cable SRL, 30 m (100 ft.), stainless steel cable

## V-EDGE Leading-Edge SRLs

Part Number	Description
63406-00AEU	V-EDGE Leading-Edge SRL, 6 m (20 ft), galvanized cable
63410-00AEU	V-EDGE Leading-Edge SRL, 10 m (30 ft), galvanized cable
63415-00AEU	V-EDGE Leading-Edge SRL, 15 m (50 ft), galvanized cable

Note: This Bulletin contains only a general description of the products shown. While uses and performance capabilities are described, under no circumstances shall the products be used by untrained or unqualified individuals and not until the product instructions including any warnings or cautions provided have been thoroughly read and understood. Only they contain the complete and detailed information concerning proper use and care of these products.



**MSA – The Safety Company**  
 1000 Cranberry Woods Drive  
 Cranberry Township, PA 16066 USA  
 Phone 724-776-8600  
[www.MSAafety.com](http://www.MSAafety.com)

**Great Britain**  
 Hopton Park, Devizes,  
 Wiltshire, SN10 2JP  
 Phone 0800 066 2222  
[info.GB@MSAafety.com](mailto:info.GB@MSAafety.com)