

NLG Spin Tether™ Product Code: 101670 Max Load:

Max Load: 0.5 KG / 1.1 LBS



OVERVIEW

The NLG Spin Tether[™] provides an easy-to-install solution for tethering rotating tools, such as screwdrivers and allen keys. Featuring a unique design it creates a secure tether point without hindering the use of the tool itself as it allows full 360° rotation.

VIEW ONLINE

https://neverletgo.com/products/spin-tether/



NLG **ID**[™] Serialised and safe

Simply scan the NLG ID tag with your phone to instantly access certificates, instruction videos and log inspections. (See Specification if included).



Third-party tested and certified

Independent laboratory load testing certificates and Declarations of Conformity are available on request. Please contact team@neverletgo.com.

| DESCRIPTION | The NLG Spin Tether™ is the ideal solu on a rotating, parallel-shafted tool suc be retro-fitted without the need for an shaft from 3.9-9mm - one size fits all. Simply fitted and tightened by hand, th content also allows the tethering of too non-conductive areas. The spinning ri through 360 degrees.undefinedThe NL advanced polymers, combined with th years of grip performance in the harsh | h as screwdrivers or allen keys. It can y additional tools to any tool with a ne patented device's non-metallic ols for use in metal-sensitive and ng delivers uninhibited tool movement _G Spin Tether™ is constructed from e unique SoftLock™ core, to provide |
|-------------------------|--|--|
| FEATURES | Non-invasive and retrofittable tether point for screwdrivers, pens and allen keys Universal fit for tools with parallel shafts between 3.9 - 9mm in diameter Tangle-free solution that allows for full rotation of the tool whilst tethered | |
| TECHNICAL SPECIFICATION | Max Load: 0.5 KG / 1.1 LBS Safety Standards: ANSI/ISEA 121-2018, CE / UKCA, NS 9611:2022+AC Load Tested and Third-party Certified: Dynamic (2:1 Safety Factor) | |
| | Dimensions: 55mm(H) x 30mm(W) x 30mm(D) Max Lanyard Length: 120 CM / 48 IN | |
| RETAIL | EAN (GTIN-13) 5060572181021 | UNIT WEIGHT (G) 20 |
| SHIPPING | HS CODE 3917.40.0099 | COUNTRY OF ORIGIN UK |



Spin Tether™ Product Code: 101670

View online https://neverletgo.com/products/spin-tet her/

Learn more about: Dropped object prevention Tool tethering Tool lanyards

Useful resources: Tool Box Tool Tether Guide Library

| CONTACT | +44 (0)330 016 0030 neverletgo.com |
|------------|--|
| INSPECTION | In addition to routine checks before each use, all equipment should undergo regular detailed inspections, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for a thorough inspection. |
| LEGAL | NLG makes every effort to ensure the information in this Datasheet is accurate and current. However, NLG reserves the right to change the product specification when necessary. NLG cannot be held responsible for any inaccuracies or omissions. Copyright © 2023. NLG [©] and Never Let Go [©] are registered trademarks. |